

PEEK METAL POLISH PASTE

Page: 1

Compilation date: 24/02/2009

**Revision date:** 17/10/2013

**Revision No:** 5

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: PEEK METAL POLISH PASTE

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: METAL POLISH

# 1.3. Details of the supplier of the safety data sheet

Company name: Tri-Peek International Limited

P.O. Box 113 Saffron Walden

Essex

**CB11 4WW** 

United Kingdom

Tel: +44 (0)1799 524098
Fax: +44 (0)1799 524669
Email: sales@tri-peek.com

## 1.4. Emergency telephone number

Emergency tel: +44 (0)1799 524098

(office hours only)

## **Section 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification under CHIP: This product has no classification under CHIP.

# 2.2. Label elements

Label elements: This product has no label elements.

#### 2.3. Other hazards

**PBT:** This product is not identified as a PBT substance.

## Section 3: Composition/information on ingredients

#### 3.2. Mixtures

## PEEK METAL POLISH PASTE

Page: 2

#### **Hazardous ingredients:**

#### ISO ALKANES C9 - C12

EINECS	CAS	CHIP Classification	CLP Classification	Percent
292-459-0	90622-57-4	-: R10; -: R53; Xn: R65; -: R66	-	1-10%

#### AMMONIA SOLUTION

215-647-6	1336-21-6	C: R34; N: R50	Skin Corr. 1B: H314; Aquatic Acute 1:	<1%
			H400	

#### Non-hazardous ingredients:

#### **ODOURLESS KEROSENE**

EINECS	CAS	CHIP Classification	CLP Classification	Percent
265-149-8	64742-47-8	Xn: R65; -: R66	Asp. Tox. 1: H304; -: EUH066	10-30%

#### Section 4: First aid measures

## 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Do not induce vomiting. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

# 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

# 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

#### Section 5: Fire-fighting measures

# 5.1. Extinguishing media

Extinguishing media: Carbon dioxide. Alcohol or polymer foam.

## 5.2. Special hazards arising from the substance or mixture

## 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear protective clothing to prevent contact with skin and eyes.

#### Section 6: Accidental release measures

PEEK METAL POLISH PASTE

Page: 3

## 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details.

# 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

## 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

## 7.3. Specific end use(s)

Specific end use(s): No data available.

# Section 8: Exposure controls/personal protection

## 8.1. Control parameters

Workplace exposure limits: No data available.

#### 8.1. DNEL/PNEC Values

**DNEL / PNEC** No data available.

# 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Nitrile gloves.Eye protection: Safety glasses.Skin protection: Protective clothing.

## Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State: Paste
Colour: Blue

Odour: Characteristic odour

Evaporation rate: Slow

## PEEK METAL POLISH PASTE

Page: 4

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Insoluble

Relative density: 1.03 pH: 10.0

#### 9.2. Other information

Other information: No data available.

#### Section 10: Stability and reactivity

## 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat.

## 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

# **Section 11: Toxicological information**

#### 11.1. Information on toxicological effects

# Hazardous ingredients:

## **AMMONIA SOLUTION...100%**

IVN	MUS	LD50	91	mg/kg
ORL	RAT	LD50	350	mg/kg
SCU	MUS	LDLO	160	mg/kg

Toxicity values: No data available.

#### Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

## Section 12: Ecological information

## PEEK METAL POLISH PASTE

Page: 5

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Non-volatile.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT substance.

12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms.

## Section 13: Disposal considerations

## 13.1. Waste treatment methods

Disposal operations: Deposit into or on to land (e.g. landfill, etc.)

**Disposal of packaging:** Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# **Section 14: Transport information**

**Transport class:** This product does not require a classification for transport.

## Section 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

#### **Section 16: Other information**

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

Phrases used in s.2 and 3: EUH066: Repeated exposure may cause skin dryness or cracking.

H304: May be fatal if swallowed and enters airways.

H314: Causes severe skin burns and eye damage.

H400: Very toxic to aquatic life.

# PEEK METAL POLISH PASTE

Page: 6

R10: Flammable.

R34: Causes burns.

R50: Very toxic to aquatic organisms.

R53: May cause long-term adverse effects in the aquatic environment.

R65: Harmful: may cause lung damage if swallowed.

R66: Repeated exposure may cause skin dryness or cracking.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.